



PRODUCT HIGHLIGHTS

Mobile Screening with Comfortable Working Environment

High Image Resolution with 24-Bit Color

Enhanced Material Discrimination

Windows Operating System with Intel® CoreTM Processor

Real-Time Diagnostics

High-Contrast Image Analysis

The XIS-Trailer™ is a mobile X-Ray Inspection System (XIS) designed for speed and flexibility. The wide tunnel makes it possible to screen a wide range of objects from small parcels to heavy baggage. A durable steel frame and aluminum walls allow it to operate effectively in difficult environments.

With dual generators, the XIS-Trailer provides operators with a sideward and downward view of scanned objects. Views can be manipulated independently in real-time using Astrophysics state-of-the-art imaging tools. Colorful, highcontrast filters allow operators to make quick and informed decisions, for better accuracy and throughput.

For comfort and convenience, the XIS-Trailer features an air-conditioned cabin and exterior lighting that enables personnel to operate in low light and high temperatures. Able to be set up and redeployed quickly, the XIS-Trailer provides efficient and mobile security in outdoor and indoor locations.

The Astrophysics XIS-Trailer is designed and assembled in the United States to the highest quality standards. For nearly twenty years, Astrophysics has led the industry in research and development, creating integrated solutions to advance the critical security missions of our customers and partners.

GENERAL SPECIFICATIONS

101.6 cm x 101.6 cm Tunnel Size: (WxH) 40.0" × 40.0"

Dimensions:1 623.8 cm x 228.6 cm x 352.2 cm 246.0" × 90.0" × 138.6" (LxWxH)

Net Weight:1 3900 kg (8600 lbs) Conveyor Speed: 23 cm/s (45 ft/min) Forward or Reverse

Conveyor Capacity: 200 kg (441 lbs) Evenly Distributed Load Custom Trailer Climate Controlled Model:

Operator Cabin

TECHNICAL

Wire Resolution: 40 AWG Typical, 38 AWG Standard 39 mm Typical, 37 mm Standard Steel Penetration:2

X-RAY GENERATOR & IMAGE PERFORMANCE

Dual 180kV, Operating at 165kV Voltage:

Tube Current: Dual 1.0 mA

Cooling: Sealed Di-Electric bath with Forced Air Duty Cycle: 100%, No Warm-Up Procedure Required Beam Direction: Diagonally Downward, Horizontally Sideward

COMPUTER & VIDEO

Windows® OS Platform:

Backup: Uninterruptible Power Supply (UPS)

(Computer Operation)

4 GB RAM Memory:

Storage: 1 TB HDD, 240 GB SSD

Dual 24" Flat Panel Color Monitor Display Type: Display Resolution: 1600 x 1200; 24 Bit/Pixel Color

ENVIRONMENTAL

Operating Temperature: 0°C to 40°C / 32°F to 104°F Storage Temperature: -20°C to 60°C / -4°F to 140°F Humidity: Up to 95% Non-Condensing

ELECTRICAL

System Power: 110VAC +/- 10% 50/60Hz, 20 Amp Max

220 VAC +/- 10% 50/60Hz, 15 Amp Max

HEALTH & SAFETY

Compliant with USFDA Center for Devices and Radiation Health Standards for Cabinet X-Ray Systems (21-CFR 1020.40)

Typical radiation leakage is less than 0.1 mR/hr

(Leakage less than 0.5 mR/hr permitted by U.S. Federal Standards)

STANDARD FEATURES

6 Color Imaging

Color and Black/White Imaging Enhanced Imaging Mode (EI)

Geometric Image Distortion Correction High Penetration Function Organic/Inorganic Imaging

Picture Perfect Pseudo Color

Real-Time Image Manipulation Reverse Monochrome

Atomic Z-Number Measurement

Material Discrimination

9 Quadrant Zoom Continuous Scanning Continuous Zoom Up to 64x Vertical Zoom Panning

Auto Image Archiving Image Review Save Image (RGB)

Image Annotation JPEG Conversion Print Image Capable

Multi-Tier Accessibility Network Ready

Real-Time Self Diagnostics

Baggage Counter

OPTIONAL FEATURES³

Barcode Scanning Density Alert Local Language Safe Passage® Computer Based Training

Screener Assist Software Threat Image Projection (TIP) Software

Custom Paint Environmental Kit Intercom System Radiation Meter

Test Case









ISO 9001: Certified

Weight and dimensions of the system may vary depending on customization. ²As tested on Astrophysics Inc. Test Piece.

³Optional Features may affect lead time, price, and weight of product. Please contact your Astrophysics Sales Representative for more information.

Due to continued product research and development, Astrophysics Inc. reserves the right to amend all technical specifications without prior notice.

Astrophysics HQ +1.909.598.5488

Astrophysics - DC +1.202.350.9740

Astrophysics - HOUSTON +1.713.357.5132

Astrophysics - EMEA +961.9.832.500/1/2

Astrophysics - INDIA +91.11.41709990

Astrophysics - ASIA +63.2.812.0033